




Metal Pin for Rail Vehicles according to DIN 5526 standard

PERNO - PIN




Ød	ØD	a	b	c	d1	e	f	Order Code
24	36	42	34	26	8	6	1,6	Z2N-PIN-24-36-42
24	36	76	67,5	60	8	6	1,6	Z2N-PIN-24-36-76
24	36	85	76,5	69	8	6	1,6	Z2N-PIN-24-36-85
24	36	97	88,5	81	8	6	1,6	Z2N-PIN-24-36-97
36	50	85	75	68	8	8	2,5	Z2N-PIN-36-50-85
40	55	89	79,5	69	10	8	2,7	Z2N-PIN-40-55-89
40	55	104	94,5	84	10	8	2,7	Z2N-PIN-40-55-104
40	55	124	114,5	104	10	8	2,7	Z2N-PIN-40-55-124
50	66	110	97,5	84	13	9	3	Z2N-PIN-50-66-110
50	66	141	130	115	13	9	3	Z2N-PIN-50-66-141
50	66	149	128	120	10	9	2	Z2N-PIN-50-66-149
60	78	131	118,5	105	13	12	3,3	Z2N-PIN-60-78-131
60	78	163	150,5	137	13	12	3,3	Z2N-PIN-60-78-163



**Z2N Makina Pazarlama
Sanayi ve Ticaret Ltd. Şti.**

Push Rod for Y25 type bogie according to UIC standard

İTİCİ (TİJ) - PUSH ROD






**Z2N Makina Pazarlama
Sanayi ve Ticaret Ltd. Şti.**

Metal Pin for Rail Vehicles according to DIN 5526 standard


TAHDİT PARÇASI - STOPER





Metal Pin for Rail Vehicles according to DIN 5526 standard

ROTİL PERNOSU - PIN



No	L
1	89
2	107





**Z2N Makina Pazarlama
Sanayi ve Ticaret Ltd. Şti.**

Metal Pin for Rail Vehicles according to DIN 5526 standard

MERKEZLEME PİMİ - LOCATING PIN

